



### GABA-B receptors control CCK basket cell output

A, A synaptically-coupled CCK BC and CA1 PC pair. B, Unitary IPSCs in the post-synaptic CA1 PC were suppressed by baclofen (10  $\mu$ M) C-F, Summary bar charts of synaptic parameters for CCK BC - CA1 PC pairs. (Booker et al., 2017, Brain Struct & Funct)




### Synaptic connectivity in the presubiculum

Multiple simultaneous whole-cell recordings from pyramidal cells and inhibitory interneurons in the presubiculum. (Peng et al. 2017 Cer. Cor.)




### Desensitization of GABA-B currents in CCK interneurons

Strong desensitization of GABA-B receptor-mediated currents (A) correlates with high expression of KCTD12 in CCK-IN dendrites (D,E). (Booker et al., 2016, Cer. Cor.)




### High GABA-B receptor expression in CCK interneurons

Images of the CA1 area of the rat hippocampus showing immunoreactivity for CCK (green, left) and GABA-B1 (red, middle). Note the strong labeling for GABA-B1 in CCK somata. (Booker et al., 2016 CerCtx)




## Diversity of CCK interneurons in the hippocampus

Distinct morphological subtypes of CCK interneurons provide perisomatic and dendritic inhibition in the CA1 area of the hippocampus. Reconstructions of a basket cell (A), an SCA cell (B), a PPA cell and a novel Lacunosum-Associated interneuron (LA, C). (Booker et al., 2016 *CerCtx*)




## Dendritic inhibitory interneurons in the dentate gyrus

Reconstruction of a synaptically-connected interneuron pair. Right: Action potentials in the DI cell (top, black) elicited slow and small IPSCs in the other cell (bottom, red). (Savanthrapadian et al., 2014 *J Neurosci*)




## miR-128 regulates migration and properties of cortical neurons

Overexpression of miR-128-2 results in migration defect in the cortex (left). PHF6 rescues these defects (middle). miR-128 and PHF6 regulate dendritic complexity in a complementary manner (right). (Franzoni et al., 2015. *eLife*)




## Slow GABA-B receptor-mediated inhibition in PV interneurons

Differential expression of GABA-B receptor-mediated synaptic inhibition in PV basket cells (left) and dendrite-targeting bistratified cells (right). (Booker et al., 2013 *J Neurosci*)




### Low GABA-B receptor expression in PV interneuron somata

Double immunostaining for parvalbumin (green) and GABA-B1 receptor subunit (red) in the CA1 area. (Booker et al., 2013 J Neurosci)




### Inhibitory gradient in the medial entorhinal cortex

Gradient of PV immunoreactive axon terminals along the dorso-ventral axis of the medial entorhinal cortex. (Beed et al. 2013 Neuron)




## Synaptic plasticity in dentate basket cells

Convergent excitatory inputs onto dentate basket cells result in efficient recruitment and induction of associative plasticity. (Sambandan et al., 2010 J Neurosci)




## Disrupted hippocampal layering in the 'reeler' mouse

Disrupted layering of the dentate gyrus [top] is associated with altered morphology [bottom] and synaptic activation of hilar mossy cells in 'reeler' mice. (Kowalski et al., 2010 CerCtx)



## Microcircuit mechanisms of gamma oscillations

Feedback inhibition [left] and mutual inhibition among basket cells [right] support the generation of gamma oscillations in cortical networks. (Bartos et al., 2007 Nat Rev Neurosci)




## Shunting inhibition in basket cells

A,B: The reversal potential of IPSCs is near the resting membrane potential in basket cells. C: Shunting inhibition (in red) results in differential frequency modulation during strong and weak




excitation. (Vida et al., 2006 Neuron)




### Co-clustering of GABA-B receptors and Kir3 channels

Top: Immunogold staining for Kir3 potassium channels on CA1 pyramidal cell dendrites. Bottom: Co-distribution of GABA-B receptors and Kir3 potassium channels on the extrasynaptic membrane. (Kulik et al., 2006 J Neurosci)




### GABA-B receptor expression in the hippocampus

Immunostaining for the GABA-B1 receptor subunit in the hippocampus. Note the strong labeling of scattered interneurons. (see Kulik et al., 2003)




### Extrasynaptic localization of GABA-B receptors

Metabotropic GABAB receptors (stripped boxes), localized to the extrasynaptic plasma membrane of GABAergic and glutamatergic terminals (b), spines (s), and dendritic shafts (D), are activated by spilled-over GABA (dots), whereas the synaptic ionotropic GABA<sub>A</sub> receptors (gray boxes) are directly exposed to the neurotransmitter. (Kulik et al., 2003 JNeurosci)




### Fast and strong mutual inhibition between basket cells

Reconstruction of the synaptically connected BC-BC pair. Right: Action potentials in one BC (black trace) elicited fast and large IPSCs in the other BC (red traces). (Bartos et al. 2001 J. Neurosci.)



### Rapid synchronization in a basket cell network model

Raster plot illustrates the rapid synchronization at gamma frequencies in a BC network model with fast and strong mutual inhibitory synapses (Bartos et al., 2002 PNAS).



### Properties of oscillations in a basket cell network model


The 3D plots show the frequency (color code) and coherence (k) of oscillations in a basket cell network with slow and fast mutual inhibitory synapses. (Bartos et al., 2002 PNAS)



### Mossy fiber-associated interneuron in the hippocampus


Reconstruction of the interneuron with its axon in the startum lucidum of the hippocampal CA3, co-aligned with the mossy fibers. Right: Electron micrograph of a synapse onto a CA3 pyramidal cell dendrite. (Vida and Frotscher, 2000 PNAS)






## Active properties of CA1 O-LM interneuron dendrites

Immunocytochemical [left] and morphological identification [middle] of an O-LM interneuron. (Martina et al., 2000, Science)



## Layered organization of inhibitory axons in the hippocampus

Axons of the diverse interneuron types show layer-specific distribution and provide compartmental innervation to pyramidal cells in the hippocampal CA1 area. (Vida et al., 1998 J Physiol)



## Inhibitory synaptic coupling between basket cells

Reconstruction of the synaptically-connected BC-BC pair in the CA1 area. Inset: Action potentials in one BC elicited short latency fast IPSCs in the other BC. (Cobb et al. 1997 Neurosci)

## Selected publications (2006 - 2018)

(Full list of publications is available at [ORCID](#), [ResearchID](#), [Google Scholar](#) or [ResearchGate](#).)

1. Booker SA, Loreth D, Gee AL, Watanabe M, Kind PC, Wyllie DJA, Kulik A, Vida I (2018) Postsynaptic GABABRs inhibit L-type calcium channels and abolish long-term potentiation in hippocampal somatostatin interneurons. *Cell Reports* 22: 36-43. doi: 10.1016/j.celrep.2017.12.021.
2. Turko P, Groberman K, Browa F, Cobb S, Vida I (2018) Differential Dependence of GABAergic and Glutamatergic Neurons on Glia for the Establishment of Synaptic Transmission. *Cereb Cortex*. doi: 10.1093/cercor/bhy029. [Epub: 2018 Feb 7]
3. Booker SA, Vida I (2018) Morphological diversity and connectivity of hippocampal interneurons. *Cell Tissue Res* 373: 619-641. doi: 10.1007/s00441-018-2882-2. [Epub ahead of print 2018 Aug 6]
4. Rehfeld F, Maticzka D, Grosser S, Knauff P, Eravci M, Vida I, Backofen R, Wulczyn FG (2018) The RNA-binding protein ARPP21 controls dendritic branching by functionally opposing the miRNA it hosts. *Nat Commun* 9: 1235. doi: 10.1038/s41467-018-03681-3.
5. Kulik Á, Booker SA, Vida I (2017) Differential distribution and function of GABA(B)Rs in somato-dendritic and axonal compartments of principal cells and interneurons in cortical circuits. *Neuropharmacology* 136: 80-91. doi: 10.1016/j.neuropharm.2017.10.018. [Epub: 2017 Oct 14]
6. Booker SA, Althof D, CE Degro, Watanabe M, Kulik A, Vida I (2017) Differential surface density and modulatory effects of presynaptic GABAB receptors in hippocampal cholecystinin and parvalbumin basket cells. *Brain Struct Funct*. doi: 10.1007/s00429-017-1427-x. [Epub: 2017 May 2]
7. Peng Y, Barreda Tomás FJ, Klisch C, Vida I, Geiger JRP (2017) Layer-Specific Organization of Local Excitatory and Inhibitory Synaptic Connectivity in the Rat Presubiculum. *Cereb Cortex*. 27: 2435-2452. doi: 10.1093/cercor/bhx049.
8. Münster-Wandowski A, Heilmann H, Bolduan F, Trimbuch T, Yanagawa Y, Vida I.(2017) Distinct Localization of SNAP47 Protein in GABAergic and Glutamatergic Neurons in the Mouse and the Rat Hippocampus. *Front Neuroanat* 11: 56. doi: 10.3389/fnana.2017.00056. eCollection 2017.
9. Booker SA, Althof D, Gross A, Loreth D, Müller J, Unger A, Fakler B, Varro A, Watanabe M, Gassmann M, Bettler B, Shigemoto R, Vida I, Kulik Á. (2017) KCTD12 Auxiliary Proteins Modulate Kinetics of GABAB Receptor-Mediated Inhibition in Cholecystinin-Containing Interneurons. *Cereb Cortex* 27: 2318-2334. doi: 10.1093/cercor/bhw090.[Epub: 2016]
10. Booker SA, Pires N, Cobb S, Soares-da-Silva P, Vida I. (2015) Carbamazepine and oxcarbazepine, but not eslicarbazepine, enhance excitatory synaptic transmission onto hippocampal CA1 pyramidal cells through an antagonist action at adenosine A1 receptors. *Neuropharmacology* 93C: 103-115.
11. Degro CE, Kulik A, Booker SA, Vida I. (2015) Compartmental distribution of GABAB receptor-mediated currents along the somatodendritic axis of hippocampal principal cells. *Front Synaptic Neurosci* 7: 6. doi: 10.3389/fnsyn.2015.00006.
12. Singec I, Knoth R, Vida I, Frotscher M.(2015) The rostral migratory stream generates hippocampal CA1 pyramidal-like neurons in a novel organotypic slice co-culture model. *Biology Open* 09/2015; 4(10). DOI:10.1242/bio.012096.
13. Franzoni E, Booker SA, Parthasarathy S, Rehfeld F, Grosser S, Srivatsa S, Fuchs HR, Tarabykin V, Vida I, Wulczyn FG. (2015) miR-128 regulates neuronal migration, outgrowth and intrinsic excitability via the intellectual disability gene Phf6. *Elife*. 2015 Jan 3;4. doi: 10.7554/eLife.04263.
14. Booker SA, Song J, Vida I. (2014) Whole-cell patch-clamp recordings from morphologically- and neurochemically-identified hippocampal interneurons. *J Vis Exp* 91: e51706. doi:

10.3791/51706.

15. Savanthrapadian S, Meyer T, Elgueta C, Booker SA, Vida I, Bartos M. (2014) Synaptic properties of SOM- and CCK-expressing cells in dentate gyrus interneuron networks. *J Neurosci* 34:8197-8209.
16. Hosp JA, Strüber M, Yanagawa Y, Obata K, Vida I, Jonas P, Bartos M (2014) Morpho-physiological criteria divide dentate gyrus interneurons into classes. *Hippocampus* 24: 189-203.
17. Beed P, Gundlfinger A, Schneiderbauer S, Song J, Böhm C, Burgalossi A, Brecht M, Vida I, Schmitz D (2013) Inhibitory gradient along the dorsoventral axis in the medial entorhinal cortex. *Neuron* 79: 1197-1207.
18. Dugladze T, Maziashvili N, Börgers C, Gurgenidze S, Häussler U, Winkelmann A, Haas CA, Meier JC, Vida I, Kopell NJ, Gloveli T (2013) GABA(B) autoreceptor-mediated cell type-specific reduction of inhibition in epileptic mice. *Proc Natl Acad Sci U S A* 110: 15073-15078.
19. Booker SA, Gross A, Althof D, Shigemoto R, Bettler B, Frotscher M, Hearing M, Wickman K, Watanabe M, Kulik A, Vida I. (2013) Differential GABAB-Receptor-Mediated Effects in Perisomatic- and Dendrite-Targeting Parvalbumin Interneurons. *J Neurosci* 33: 7961-7974.
20. Dugladze T, Schmitz D, Whittington MA, Vida I, Gloveli T. (2012) Segregation of axonal and somatic activity during fast network oscillations. *Science* 336:1458-61.
21. Kowalski J, Geuting M, Paul S, Dieni S, Laurens J, Zhao S, Drakew A, Haas CA, Frotscher M, Vida I (2010) Proper layering is important for precisely timed activation of hippocampal mossy cells. *Cereb Cortex* 20: 2043-2054.
22. Sambandan S, Sauer JF, Vida I, Bartos M (2010) Associative plasticity at excitatory synapses facilitates recruitment of fast-spiking interneurons in the dentate gyrus. *J Neurosci.* 30: 11826-11837.
23. Nörenberg A, Hu H, Vida I, Bartos M, Jonas P (2010) Distinct nonuniform cable properties optimize rapid and efficient activation of fast-spiking GABAergic interneurons. *Proc Natl Acad Sci USA* 107: 894-899.
24. Doischer D, Hosp JA, Yanagawa Y, Obata K, Jonas P, Vida I, Bartos M. (2008) Postnatal differentiation of basket cells from slow to fast signaling devices. *J Neurosci* 28: 12956-12968.
25. Dugladze T, Vida I, Tort AB, Gross A, Otahal J, Heinemann U, Kopell NJ, Gloveli T. (2007) Impaired hippocampal rhythmogenesis in a mouse model of mesial temporal lobe epilepsy. *Proc Natl Acad Sci USA* 104:17530-17535.
26. Bartos M, Vida I, Jonas P (2007) Synaptic mechanisms of synchronized gamma oscillations in inhibitory interneuron networks *Nat Rev Neurosci* 8: 45-56.
27. Vida I, Bartos M, Jonas P (2006) Shunting inhibition improves robustness of gamma oscillations in hippocampal interneuron networks by homogenizing firing rates. *Neuron* 49: 107-117.
28. Kulik Á, Vida I, Fukazawa Y, Guetg N, Kasugai Y, Marker CL, Rigato F, Bettler B, Wickman K, Frotscher M, Shigemoto R (2006) Compartment-dependent co-localization of Kir3.2-containing K<sup>+</sup> channels and GABAB receptors in hippocampal pyramidal cells. *J Neurosci* 26: 4289-4297.

---

## Book chapters

1. Matthiae A, Bartos M, Vida I (2014) Role of Non-uniform Dendrite Properties on Input Processing by GABAergic Interneurons, in 'Springer Series in Computational Neuroscience, Volume 11: The Computing Dendrite', eds. Cuntz H., Remme M.W.H., Torben-Nielsen B, Springer, New York.
2. Vida I (2010) Morphology of Hippocampal Neurons. in 'Hippocampal Microcircuits: A Computational Modeler's Resource Book', eds. Cutsuridis V et al., Springer, New York.
3. Bartos M, Sauer JF, Vida I, Kulik A (2010) Fast and Slow GABAergic Transmission in Hippocampal Circuits. In 'Hippocampal Microcircuits: A Computational Modeler's Resource Book', eds.


Cutsuridis V et al., Springer, New York.

4. Cobb SC, Vida I (2010) Neuronal activity patterns in anaesthetized animals. in 'Hippocampal Microcircuits: A Computational Modeler's Resource Book', eds. Cutsuridis V. et al., Springer, New York.
5. Vida I, Bartos M, (2006) Gamma oscillations in interneuron networks: a combined experimental-computational approach, in '2nd UniNet workshop: Data, Networks and Dynamics', eds. Kirkilionis M et al., Logos Verlag, Berlin.

---

## Book

Hippocampal Microcircuits: A Computational Modeler's Resource Book.  
Springer Series in Computational Neuroscience  
Editors: Cutsuridis, V., Graham, B.P., Cobb, S., Vida, I.  
Publisher: Springer-Verlag New York, 2010.



From:

<http://ineuron.org/dokuwiki/> - **the iNeuronLab pages**

Permanent link:

<http://ineuron.org/dokuwiki/doku.php?id=publications:home>

Last update: **2018.10.16 22:37**

